

Patent Application No. 10/688,174
Amdt. date: September 18, 2004
Response to June 18, 2004 Office Action

IN THE CLAIMS:

This listing of claims replaces all prior versions and listings of the claims in this application.

1. (Canceled) A coupling apparatus for mounting an add-on passenger restraint system to a vehicle seat having an anchorage, the retractable coupling apparatus comprising:
 - a retractor affixed to the add-on passenger restraint system,
 - a coupling member,
 - an extension member having opposing ends wherein one end is attached to the retractor and the other end is attached to the coupling member, and
 - wherein the coupling member is configured to engage the anchorage.
2. (Canceled) The coupling apparatus of claim 1, wherein the retractor normally tends to withdraw the extension member inwardly into the retractor.
3. (Withdrawn) The coupling apparatus of claim 2, wherein the retractor comprises a positive locking retractor.
4. (Withdrawn) The coupling apparatus of claim 3, wherein the positive locking retractor comprises a release member to unlock the retractor to allow the extension member to be drawn out of the retractor.
5. (Withdrawn) The coupling apparatus of claim 4, wherein the release member comprises a button.
6. (Withdrawn) The coupling apparatus of claim 4, wherein the release member comprises a cable.
7. (Currently Amended) A coupling apparatus for mounting an add-on passenger restraint system to a vehicle seat having an anchorage, the coupling apparatus comprising:
 - a retractor affixed to the add-on passenger restraint system,
 - a coupling member,
 - an extension member having opposing ends wherein one end is attached to the retractor and the other end is attached to the coupling member, the coupling member being configured to engage the anchorage;

Patent Application No. 10/688,174

Amdt. date: September 18, 2004

Response to June 18, 2004 Office Action

[[The coupling apparatus of claim 1,]] wherein the coupling member
[[is]] comprises an articulating connector.

8. (Currently Amended) The coupling apparatus of [[claim 1]] claim
7, wherein the coupling member [[is]] comprises a snap hook connector.

9. (Canceled) The coupling apparatus of claim 1, wherein the add-
on passenger restraint system is a portable child seat.

10. (Canceled) The coupling apparatus of claim 1, wherein the add-
on passenger restraint system is a booster seat.

11. (Currently Amended) A coupling apparatus for mounting an add-
on passenger restraint system to a vehicle seat having an anchorage, the coupling
apparatus comprising:

a retractor affixed to the add-on passenger restraint system,
a coupling member,

an extension member having opposing ends wherein one end is
attached to the retractor and the other end is attached to the coupling member, the
coupling member being configured to engage the anchorage;

[[The coupling apparatus of claim 1,]] wherein the coupling apparatus
conforms to [[one or more governmental standards]] FMVSS 213 or FMVSS 225
extant in October 2003.

12. (Canceled) The coupling apparatus of claim 1, wherein the
governmental standard comprises FMVSS 225.

13. (Canceled) The coupling apparatus of claim 1, wherein the
governmental standard comprises FMVSS 213.

14. (Canceled) A coupling apparatus for mounting an add-on
passenger restraint system to a vehicle seat having an anchorage, the retractable
coupling apparatus comprising:

a portable child seat,

a retractor affixed to the portable child seat,

an extension member comprising a first end and an opposing second end, the
first end being attached to the retractor, and

a coupling member attached to the second end of the extension member,
wherein the coupling member is configured to engage the anchorage.

Patent Application No. 10/688,174
Amdt. date: September 18, 2004
Response to June 18, 2004 Office Action

15. (Withdrawn) The coupling apparatus of claim 14, wherein the retractor normally tends to withdraw the extension member inwardly into the retractor.

16. (Withdrawn) The coupling apparatus of claim 15, wherein the retractor comprises a positive locking retractor.

17. (Withdrawn) The coupling apparatus of claim 16, wherein the retractor further comprises a release member to unlock the retractor to allow the extension member to be drawn out of the retractor.

18. (Currently Amended) A coupling apparatus for mounting an add-on passenger restraint system to a vehicle seat having an anchorage, the coupling apparatus comprising:

a portable child seat,

a retractor affixed to the portable child seat,

an extension member comprising a first end and an opposing second end, the first end being attached to the retractor, and

a coupling member attached to the second end of the extension member, wherein the coupling member is configured to engage the anchorage;

[[The coupling apparatus of claim 1,]] wherein the retractable coupling apparatus is configured to thread upwardly through an upper tether redirection system attached to the vehicle proceeding downwardly away therefrom to mate with the anchorage.

19. (Withdrawn) A method of mounting an add-on passenger restraint system to a vehicle having an anchorage, the method comprising the steps of:

placing on the vehicle's seat an add-on passenger restraint system comprising a seat portion,

mounting to the seat portion a coupling apparatus comprising

an automatic locking retractor comprising a release member,

a coupling member, and

an extension member comprising one end attached to the retractor and a second end attached to the coupling member,

engaging the coupling member and the anchorage.

Patent Application No. 10/688,174
Amdt. date: September 18, 2004
Response to June 18, 2004 Office Action

20. (Canceled) A coupling apparatus for mounting an add-on passenger restraint system comprising a seat portion having spaced apart side portions to a vehicle seat having an anchorage, the retractable coupling apparatus comprising:

- a retractor affixed to each of the spaced-apart sides of the add-on passenger restraint system,

- a coupling member comprising a connector that conforms with government standards,

- an extension member having opposing ends wherein one end is attached to the retractor and the other end is attached to the coupling member,

- wherein the coupling member is configured to engage the anchorage, and

- wherein the retractor is an automatic locking retractor comprising a release member, the retractor tending to withdraw therein the extension member until the release member is actuated.

21. (New) A coupling apparatus for mounting an add-on passenger restraint system to a vehicle seat having an upper anchorage and a lower anchorage, the coupling apparatus comprising:

- a portable child seat,

- an upper tether having a first end attached to the child seat and a second end coupled to a connector configured to engage the upper anchorage,

- a retractor affixed to the portable child seat,

- an extension member comprising a first end and an opposing second end, the first end being attached to the retractor, and

- a coupling member attached to the second end of the extension member, wherein the coupling member is configured to engage the lower anchorage.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.